



联合弯头



管径 in.	壁厚 in.	订购编号	尺寸, in.(mm)				工作压力 psig (bar)
			L	M	F	H	
1/8	0.028	VMW-UE2 VMW-UE2-SLV	0.56 (14.2)	0.25 (6.4)	5/16	0.41 (10.4)	8500 (585)
1/4	0.035	VMW-UE4 VMW-UE4-SLV	0.56 (14.2)		5/16	0.41 (10.4)	5100 (351)
3/8	0.035	VMW-UE6 VMW-UE6-SLV	0.69 (17.5)		7/16	0.47 (11.9)	3300 (227)
1/2	0.049	VMW-UE8 VMW-UE8-SLV	0.81 (20.6)		9/16	0.53 (13.5)	3700 (254)
3/4	0.065	VMW-UE12 VMW-UE12-SLV	1.06 (27.0)		13/16	0.66 (16.6)	2400 (165)

订购表面光洁度Ra(平均)<0.4的配件时, 在订单号中添加BA。例如:VMW-UE4-BA

变径弯头




管径 in.	壁厚 in.	管径 in.	壁厚 mm	订购编号	尺寸, in.(mm)				工作压力 psig (bar)
					L	M	F	H	
1/4	0.035	1/8	0.028	VMW-RE4-2 VMW-RE4-2-SLV	0.56 (14.2)	0.25 (6.4)	5/16	0.41 (10.3)	3300 (227)
3/8	0.035	1/4	0.035	VMW-RE6-4 VMW-RE6-4-SLV	0.69 (17.5)		7/16	0.47 (11.9)	3300 (227)
1/2	0.049	1/4	0.035	VMW-RE8-4 VMW-RE8-4-SLV	0.81 (20.6)		9/16	0.53 (13.5)	3700 (254)
1/2	0.049	3/8	0.035	VMW-RE8-6 VMW-RE8-6-SLV	0.81 (20.6)		9/16	0.53 (13.5)	3300 (227)

订购表面光洁度Ra(平均)<0.4的配件时, 在订单号中添加BA。例如:VMW-RE6-4-BA




联合三通接头



管径 in.	壁厚 in.	订购编号	尺寸, in.(mm)				工作压力 psig (bar)
			L	M	F	H	
1/8	0.028	VMW-UT2	0.82 (20.8)	0.25 (6.4)	5/16	0.41 (10.4)	8500 (585)
		VMW-UT2-SLV					
1/4	0.035	VMW-UT4	0.82 (20.8)	0.25 (6.4)	5/16	0.41 (10.4)	5100 (351)
		VMW-UT4-SLV					
3/8	0.035	VMW-UT6	0.94 (23.9)	0.25 (6.4)	7/16	0.47 (11.9)	3300 (227)
		VMW-UT6-SLV					
1/2	0.049	VMW-UT8	1.06 (26.9)	0.25 (6.4)	9/16	0.53 (13.5)	3700 (254)
		VMW-UT8-SLV					
3/4	0.065	VMW-UT12	1.31 (33.3)	0.25 (6.4)	13/16	0.65 (16.6)	2400 (165)
		VMW-UT12-SLV					


变径三通接头



管径 in.	壁厚 in.	管径 in.	壁厚 mm	订购编号	尺寸, in.(mm)				工作压力 psig (bar)
					L	M	F	H	
1/4	0.035	1/8	0.028	VMW-RT4-2	0.81 (20.6)	0.25 (6.4)	5/16	0.41 (10.3)	3300 (227)
				VMW-RT4-2-SLV					
3/8	0.035	1/4	0.035	VMW-RT6-4	0.94 (23.9)	0.25 (6.4)	7/16	0.47 (11.9)	3300 (227)
				VMW-RT6-4-SLV					
1/2	0.049	1/4	0.035	VMW-RT8-4	1.06 (26.9)	0.25 (6.4)	9/16	0.53 (13.5)	3700 (254)
				VMW-RT8-4-SLV					
1/2	0.049	3/8	0.035	VMW-RT8-6	1.06 (26.9)	0.25 (6.4)	9/16	0.53 (13.5)	3300 (227)
				VMW-RT8-6-SLV					

订购表面光洁度Ra(平均)<0.4的配件时, 在订单号中添加BA。例如: VMW-RT4-2-BA

立体三通接头



管径 in.	壁厚 in.	订购编号	尺寸, in.(mm)				工作压力 psig (bar)
			L	M	F	H	
1/4	0.035	VMW-TB4	0.56 (14.2)	0.25 (6.4)	5/16	0.41 (10.4)	5100 (351)
		VMW-TB4-SLV					
3/8	0.035	VMW-TB6	0.69 (17.5)	0.25 (6.4)	7/16	0.47 (11.9)	3300 (227)
		VMW-TB6-SLV					
1/2	0.049	VMW-TB8	0.81 (20.6)	0.25 (6.4)	9/16	0.53 (13.5)	3700 (254)
		VMW-TB8-SLV					


订购表面光洁度Ra(平均)<0.4的配件时, 在订单号中添加BA。例如: VMW-TB6-BA



尺寸仅供参考, 如有更改, 恕不另行通知




联合四通接头



管径 in.	壁厚 in.	订购编号	尺寸, in.(mm)				工作压力 psig (bar)
			L	M	F	H	
1/8	0.028	VMW-CU2 VMW-CU2-SLV	0.82 (20.8)	0.25 (6.4)	5/16	0.41 (10.4)	8500 (585)
1/4	0.035	VMW-CU4 VMW-CU4-SLV	0.82 (20.8)		5/16	0.41 (10.4)	5100 (351)
3/8	0.035	VMW-CU6 VMW-CU6-SLV	0.94 (23.9)		7/16	0.47 (11.9)	3300 (227)
1/2	0.049	VMW-CU8	1.06 (26.9)		9/16	0.53 (13.5)	3700 (254)
		VMW-CU8-SLV					

订购表面光洁度Ra(平均)<0.4的配件时, 在订单号中添加BA。例如: VMW-CU4-BA

联合变径接头



管径 in.	壁厚 in.	管径 in.	壁厚 mm	订购编号	尺寸, in.(mm)			工作压力 psig (bar)
					L	M	M1	
1/4	0.035	1/8	0.028	VMW-RU4-2 VMW-RU4-2-SLV	0.75 (19.0)	0.42 (10.7)	0.25 (6.4)	5100 (351)
3/8	0.035	1/4	0.035	VMW-RU6-4 VMW-RU6-4-SLV				3300 (227)
1/2	0.049	1/4	0.035	VMW-RU8-4 VMW-RU8-4-SLV				3700 (254)
1/2	0.049	3/8	0.035	VMW-RU8-6 VMW-RU8-6-SLV				3300 (227)
3/4	0.065	1/4	0.035	VMW-RU12-4 VMW-RU12-4-SLV				2400 (165)
3/4	0.065	3/8	0.035	VMW-RU12-6 VMW-RU12-6-SLV	2400 (165)			
3/4	0.065	1/2	0.049	VMW-RU12-8 VMW-RU12-8-SLV	2400 (165)			

订购表面光洁度Ra(平均)<0.4的配件时, 在订单号中添加BA。例如: VMW-RU6-4-BA

